



87-721-13WAI

DC MOTORS



www.waiglobal.com

Pump Motors



5196N

Motor - Primer Pump
12 Volt, CW, Pin Hole Thru Shaft w/
Woodruff Key

Used on: Hale, Power Wheels
Equipment, Purex Corp., Waterous Fire
Truck Primer Pumps

Replaces: Hale 200004000; Prestolite
46-555, 46-557, 46-2155, 46-2244, 46-
2604, 46-4200, MAY-4146, MAY-4301,
MAY-4301S, MAY-4601, MCL-6225, MCL-
6225A, MCL-6228, MCL-6508, MCL-
6508S, MUE-6207, MUE-6207S; Ref.
Nos. W-6559, W-6599

Lester No: 5196, 6005, 10718

Dim: 3.25 in. Dia. Mtg. Ring



6037N

Motor - Pump
12 Volt, CCW, Slotted Shaft,
Insulated Grd.

Used on: Haldex-Barnes, Hyster,
Monarch Hydraulics, MTE Hydraulics,
Raymond Corporation

Replaces: Prestolite 46-175, 46-584,
46-783, 46-2086, 46-2126, 46-2194,
46-2451, 46-2552, 46-2559, 46-2570,
MDY-6103, MDY-6109, MDY-6115,
MDY-6118, MDY-6121, MDY-6121S,
MDY-6122, MDY-6134, MDY-6202,
MDY-6202S, MDY-6203, MDY-6203S,
MDY-6205, MDY-6206, MDY-6206S,
MDY-7064, MDY-7065, MDY-7067S,
MHA-6001, MHA-6001S, MUE-6121;
Ref. No. W-8935

Lester No: 6035, 6037

Dim: 4.5 in. Dia. Field Case

2) 5/16-24 Terminal Posts

Note: Thru bolts at 6:00 & 12:00
positions.



6044N

Motor - Pump
12 Volt, CW, Slotted Shaft

Used on: Applied Energy, Borg Warner,
Cessna, Delta Power, Fenner Stone, Haldex-
Barnes, MTE Hydraulics, Parker Hannifan,
Stone Industries

Replaces: Prestolite 46-72, 46-888,
46-917, 46-958, 46-969, 46-974, 46-975,
46-990, 46-2014, 46-2015, 46-2037,
46-2478, 46-2550, 46-3563, 46-4050,
46-4068, MDY-6116, MDY-6116S,
MDY-6124, MDY-6124S, MDY-6126,
MDY-6126S, MDY-6128, MDY-6128S,
MDY-6135, MDY-6135S, MDY-6157,
MDY-6157S, MDY-7022, MDY-7031,
MDY-7032, MDY-7032A, MDY-7032B,
MDY-7037, MDY-7037S, MDY-7039,
MDY-7039A, MDY-7039S, MDY-7042,
MDY-7042A, MDY-7061, MDY-7063,
MDY-7063S, MDY-7072, MDY-7072S,
MUE-6113S; Ref. No. W-8990

Dim: 4.5 in. Dia. Field Case

1) 5/16-24 Terminal Post

Note: Thru bolts at 5:00 & 11:00 positions.
For double ball bearing version use
6044N-DB



6044NCUT

Motor - Pump
12 Volt, CW, Slotted Shaft

Used on: Applied Energy, Borg Warner,
Cessna Fluid Power, Fenner Fluid,
Parker Hannifan, Stone Industries

Replaces: Prestolite 46-72, 46-917, 46-
974, 46-990, 46-2014, MDY7022, 7031,
7032, 7037, 7037S, 7042, 7042A



6044N-DB

Motor - Pump
12 Volt, CW, Slotted Shaft

Used on: Applied Energy, Borg Warner,
Cessna, Delta Power, Fenner Stone,
Haldex-Barnes, MTE Hydraulics, Parker
Hannifan, Stone Industries

Replaces: Prestolite 46-72, 46-888,
46-917, 46-958, 46-969, 46-974, 46-975,
46-990, 46-2014, 46-2015, 46-2037,
46-2478, 46-2550, 46-3563, 46-4050,
46-4068, MDY-6116,
MDY-6116S, MDY-6124, MDY-6124S,
MDY-6126, MDY-6126S, MDY-6128,
MDY-6128S, MDY-6135, MDY-6135S,
MDY-6157, MDY-6157S, MDY-7022,
MDY-7031, MDY-7032, MDY-7032A,
MDY-7032B, MDY-7037, MDY-7037S,
MDY-7039, MDY-7039A, MDY-7039S,
MDY-7042, MDY-7042A, MDY-7061,
MDY-7063, MDY-7063S, MDY-7072,
MDY-7072S, MUE-6113S; Ref. No.
W-8990-DBB

Dim: 4.5 in. Dia. Field Case

1) 5/16-24 Terminal Post

Note: Thru bolts at 5:00 & 11:00
positions.

For single ball bearing version use 6044N



6046N

Motor - Pump
12 Volt, CW, Slotted Shaft

Used On: Boss Snow Plows, Haldex-
Barnes, Skidmore Equipment, Webster
Electric

Replaces: Prestolite 46-812, 46-2432, 46-
3564, MDY-6125, MDY-6125S, MDY-7030,
MDY-7030S, MDY-7058, MDY-7058S; Ref.
No. W-8958

Lester Nos: 6046

Dimensions: 4.5 in. Dia. Field Case

1) 5/16-24 Terminal Post

Notes: Thru bolts at 5:00 & 11:00 positions.
Additional 1/4-20 switch mtg. holes in field
case for broader coverage.

Features: Bushing type



6119N

Motor - Pump
12 Volt, CCW, Slotted Shaft

Used on: Anthony Equipment, Eagle,
Haldex-Barnes, Leyman, Maxon,
Monarch Hydraulics, MTE Hydraulics,
Thieman, Tommy Lifts, Waltco

Replaces: Prestolite 46-349, 46-717,
46-2093, 46-2107, 46-2369, 46-2414,
46-2585, 46-2595, 46-3520, 46-3553,
MDY-6101, MDY-6102, MDY-6119,
MDY-6119S, MDY-6132, MDY-6132S,
MDY-6134S, MDY-6143, MDY-6143S,
MDY-7027, MDY-7043, MDY-7050,
MDY-7057, MDY-7057A, MDY-7057S,
MDY-7059, MDY-7068, MDY-7075,
MUE-6104, MUE-6104S; Ref. No.
W-8992

Lester No: 6033, 6034, 6119, 6121

Dim: 4.5 in. Dia. Field Case

1) 5/16-24 Terminal Post

Note: Thru bolts at 5:00 & 11:00

positions.
Additional 1/4-20 switch mtg. holes in field
case for broader coverage.



6124N

Motor - Primer Pump
12 Volt, CW, Slotted Shaft

Used on: Fire Truck Equipment

Replaces: Prestolite 46-4219, MUE-
6210, MUE-6210S, MUE-6310, MUE-
6310S

Pump Motors



6126DBBN

Motor - Pump

12 Volt, CCW, Slotted Shaft

Used on: Cessna, Monarch Hydraulics, MTE Hydraulics, Tommy Lifts

Replaces: Prestolite 46-948, 46-2220, 46-2777, 46-2782, 46-4166, MHN-4001, MHN-4001A, MHN-4001B, MHN-4001S, MHN-4003, MHN-4005, MHN-4005A, MUE-6001, MUE-6107, MUE-6107S, MUP-6201, MUP-6201S; Ref. No. W-9993-DBB

Dim: 4.5 in. Dia. Field Case
1) 5/16-24 Terminal Post

Note: Thru bolts at 3:00 & 9:00 positions.

Additional 1/4-20 switch mtg. holes in field case for broader coverage.

For single ball bearing version use 6126N or 6126N-HD



6129N

Motor - Pump

24 Volt, CCW, Slotted Shaft, Insulated Grd.

Used on: Baker, Clark, Fenner Stone, Monarch Hydraulics, Raymond Corp.

Replaces: Monarch 8120; Prestolite 46-0620, 46-2073, MHJ-2097, MHP-4005, MHP-4005S, MHP-4009, MHP-4009S; Raymond 570-429; Ref. No. W-9405

Dim: 4.5 in. Dia. Field Case
2) 5/16-24 Terminal Posts

Note: Thru bolts at 3:00 & 9:00 positions



6193N

Motor - Compressor Starting Motor
12 Volt, CCW, .75 Dia. Shaft

Used on: Oil Well Compressor Starting Motor

Replaces: Prestolite 46-419, 46-3627, 46-4036; MBJ-6002, MBJ-6002A, MBJ-6002S; Ref. No. W-9116

Dim: 4.5 in. Dia. Field Case
.75 in. Dia. Shaft w/ Key Slot
3 in. Dia. Mtg. Ring
1-3/4 in. Shaft to Mtg. Flange
4) 3/8-24 Mounting Holes
1) 5/16-24 Terminal Post

Note: Thru bolts at 3:00 & 9:00 positions.



10709N

Motor - Pump

12 Volt, CCW, Slotted Shaft, Insulated Grd.

Used On: Clark, Haldex-Barnes, Monarch Hydraulics

Replaces: Haldex-Barnes 2200975; Iskra 11-212-721, AMJ4680; Ref. Nos. 7004248, W-8735

Dimensions: 4.5 in. Dia. Field Case
2) 5/16-24 Terminal Posts

Notes: Thru bolts at 3:00 & 9:00 positions.

Features: 4-field coils
double ball bearings



6127DBBN

Motor - Pump

12 Volt, CCW, Slotted Shaft

Used on: Clark, Monarch Hydraulics, Plymouth Locomotive

Replaces: Clark 992312; Prestolite 46-949, MHN4002, MHN4002A, MHN4002S



6189N

Motor - Pump

12 Volt, CCW, Slotted Shaft

Used on: Cessna, Monarch Hydraulics, MTE Hydraulics, Tommy Lifts

Replaces: Monarch 8111D; Prestolite 46-4058, MUE-6202, MUE-6202S; Ref. No. W-8911

Dim: 4.5 in. Dia. Field Case
1) 5/16-24 Terminal Post

Note: Thru bolts at 3:00 & 9:00 positions.
Additional 1/4-20 switch mtg. holes in field case for broader coverage.

For 4-field coil version use 82-6860.



6196N

Motor - Pump

24 Volt, CCW, Slotted Shaft, Insulated Grd.

Used on: Haldex-Barnes

Replaces: Haldex-Barnes 2200972, 39200455; Ref. No. 638622095, W-8963

Dim: 4.5 in. Dia. Field Case
2) 5/16-24 Terminal Post

Note: Thru bolts at 3:00 & 9:00 positions.



10715N-DBB

Motor - Pump

12 Volt, CW, Slotted Shaft

Used on: Borg Warner, Fenner Stone, Haldex-Barnes, Maxon, MTE Hydraulics, Parker Hannifin, Venco, Waltco

Replaces: Allis-Chalmers 1009633; Clark 960373; Fenner Stone 1917110100, 1917110300, M1039900, M1049992; Haldex-Barnes 2200794, 2200949, MTE Hydraulics 39200399; Prestolite 46-933, 46-992, 46-2018, 46-2520, MFX-4001, MFX-4001S, MFX-4002, MFX-4002S, MMY-4002, MMY-4002S; Wapsa 9-130-450-039

Dim: 4.5 Dia. x 6.875 Field Case
1) 5/16-24 Terminal Post

Pump Motors



10716N
Motor - Pump
12 Volt, CCW, Slotted Shaft

Used on: Haldex-Barnes, Leyman, Maxon, Monarch Hydraulics, MTE Hydraulics, Waltco, Wapsa
Replaces: Haldex-Barnes 2200072; Monarch 8100; Prestolite 46-2054, 46-2495, 46-2516, 46-2534, 46-4038, 46-4154, MFX-4003, MFX-4003S, MMW-4001, MMW-4002, MMW-4002S, MMY-4001, MMY-4001A, MMY-4001S, MMY-4004, MMY-4004S, MMY-6101A, MMY-6101AS; Ref. No. W-8943-DBB
Dim: 4.5 Dia. x 6.875 Field Case
1) 5/16-24 Terminal Post
Note: Thru bolts at 3:00 & 9:00 positions. Additional 1/4-20 switch mtg. holes in field case for broader coverage.
For single ball bearing use 10716N



10735N
Motor - Pump
12 Volt, CW, 9-Spline Shaft

Used on: Dell Liftgates, Fenner Stone, Maxon, Snowaway Plows, Waltco
Replaces: Fenner Stone 1175AC, 1185AC, 1785AC, 1787AC, 1931AC; Prestolite 46-4048, MUE-6114S; Waltco 70392900; Ref. No. W-9787
Dim: 4.5 in. Dia. Field Case
1) 5/16-24 Terminal Post
Note: For heavy duty version use 10736N (3/4 in. longer)



10739N
Motor - Pump
12 Volt, CW, 9-Spline Shaft, Insulated Grd.

Used on: Big Joe, Fenner Stone, Prime Mover
Replaces: Fenner Stone 1788AC, Iskra 11-212-385; Ref. No. W-9795
Dim: 4.5 in. Dia. Field Case
2) 5/16-24 Terminal Posts



10750N
Motor - Pump
24 Volt, CCW, Slotted Shaft, Insulated Grd.

Used on: Haldex-Barnes, Monarch Hydraulics, MTE Hydraulics
Replaces: Monarch 8119, MTE 39200295; Prestolite 46-2637, 46-2811, 46-3593, 46-3623, 46-3639, MFD-7009, MUF-6102, MUF-6102S, MUF-6104, MUF-6104S, MUF-7001, MUF-7002, MUF-7002S; Ref. No. W-8950
Dim: 4.5 in. Dia. Field Case
2) 5/16-24 Terminal Posts
Note: Thru bolts at 6:00 & 12:00 positions.
Additional 1/4-20 switch mtg. holes in field case for broader coverage



10721N
Motor - Pump
12 Volt, Bi-directional, Slotted Shaft

Used on: Fenner Stone, Haldex-Barnes, Hahn Hydraulic, MTE Hydraulics, Venco
Replaces: MTE 39200397, 39200482; Prestolite 46-4220, MMQ-4002, MMQ-4003, MMQ-4003A, MMQ-4003AS, MMQ-4003S; Ref. No. W-8901-P
Dim: 4.5 in. Dia. Field Case
2) 5/16-24 Terminal Posts
Note: Thru bolts at 3:00 & 9:00 positions. Additional 1/4-20 switch mtg. holes in field case for broader coverage.



10736N
Motor - Pump
12 Volt, CW, 9-Spline Shaft

Used on: Dell Liftgates, Fenner Stone, Maxon, Waltco
Replaces: Fenner Stone 1789AC, 1997AC; Prestolite 46-4072, MMY-6101; Ref. No. W-9789
Dim: 4.5 in. Dia. Field Case
1) 5/16-24 Terminal Post
Note: Heavy duty version (3/4 in longer) of 10735N motor.



10742N
Motor - Pump
12 Volt, CW

Used on: Oil SISTEM, GEORGI, KOSTOV
Replaces: 98-52950, 98-5295.50-2, 98-82950002, IM0028, C162010000, C162086000, IM0028, AMJ5238, 11212864, ISKRA 11.212.684, 11.216.077, 11.212.077, AMJ5701, IM0117, Western Motor W-7864, W-7864A



10752N
Motor - Pump
12 Volt, CCW, Slotted Shaft

Used on: Anthony Equipment, Boss Snow Plows, Haldex-Barnes, Monarch Hydraulics, MTE Hydraulics, Waltco, Wapsa
Replaces: Haldex-Barnes 2200478, 2200727, 2200776, 2200820, 2200849; MTE Hydraulics 39200292, 39200388; Prestolite 46-2624, 46-2662, 46-4057, MUE-6106, MUE-6201, MUE-6201S, MUE-7004, MUE-7005, MUE-7005S, MUE-7006; Wapsa 9-130-450-061, 9-130-450-064, 9-130-450-081; Ref. No. W-8999-DBB
Dim: 4.5 in. Dia. Field Case
1) 5/16-24 Terminal Post
Note: Thru bolts at 5:00 & 11:00 positions. Additional 1/4-20 switch mtg. holes in field case for broader coverage.
For single ball bearing version use 10751N.

Pump Motors



10753N

Motor - Pump

12 Volt, CCW, Slotted Shaft

Used on: Anthony Equipment, Haldex-Barnes, Monarch Hydraulics, MTE Hydraulics, Waltoo, Wapsa

Replaces: Haldex-Barnes 2200654, MTE Hydraulics 39200380; Prestolite 46-2624, 46-2662, MUE-6108, MUE-6108S, MUE-7004, MUE-7005, MUE-7005S, MUE-7006, MUE-7006S; Ref. No. W-8799

Dim: 4.5 in. Dia. Field Case
1) 5/16-24 Terminal Post

Note: Thru bolts at 5:00 & 11:00 positions.

Additional 1/4-20 switch mtg. holes in field case for broader coverage.

For 2-field coil version use 10751N.



10760N

Motor - Pump

12 Volt, CCW, Slotted Shaft, Insulated Grd.

Used on: Haldex-Barnes, Hyster, Monarch Hydraulics, MTE Hydraulics, Raymond Corporation

Replaces: Bosch 0-136-350-011, 0-136-350-013; Iskra 11-212-108, AMJ5667; Ref. No. W-9007

Dim: 4.5 in. Dia. Field Case
2) 5/16-24 Terminal Posts

Note: Thru bolts at 6:00 & 12:00 positions.



10777N

Motor - Pump

12 Volt, CW, Slotted Shaft

Used on: Fenner Stone, Smith Industries

Replaces: Prestolite 46-2207, 46-3570, MDY-6131, -7040, -7047, -7047S, -7055



10789N

Motor - Pump

24 Volt, CW, Slotted Shaft, Permanent Magnet (PM)

Used on: Aerial Lifts, Haldex-Barnes, MTE Pumps, Scissor Lifts

Replaces: 0920-0321, 2994BD00355, 39200321, 39200421, 4BD-00355, 562202X8912, D562202X8912, D562275X8375, W4BD-0355; Ref. No. W-0355

Dim: 4.5 in. Dia. Case, 13.5 in. OAL

Note: 4hp, 3600rpm, 150A Full Load



10759N

Motor - Pump

12 Volt, CW, Slotted Shaft

Used on: Hyster, JS Barnes, Monarch, Mte Hydraulics, Raymond

Replaces: Bosch 0-136-350-011, -013; Iskra 11-212-108



10773N

Motor - Pump

24 Volt, CW, Ampflex (Male) Shaft, Permanent Magnet (PM)

Used on: Aerial & Scissor Lifts

Replaces: Scott Motors 2200856, 2200945, 4BD02273; Skyjack 106576, 220856; Ref. No. W-2273

Dim: 4.5 in. Dia. Case, 14.2 in. OAL

Note: 4hp, 3600rpm, 150A Full Load
Armature shaft is the amplex or chrysler coupler type with 1/4-20 threaded hole.



10787N

Motor - Primer Pump

12 Volt, CW, Recessed Slot Shaft

Used on: Hale Fire Truck Primer Pumps

Replaces: Hale 2000041000; Prestolite 46-3663, MCL-6509, MCL-6509S; Ref. No. W-6542

Dim: 3.25 in. Dia. Mtg. Ring



10859N

Motor - Pump

12 Volt, CW, Recessed Slot Shaft

Used on: Hale Primer Pumps

Replaces: Prestolite MCL-6201, MCL-6201S

Winch Motors



5687N-DB

Motor - Winch

12 Volt, Bi-directional, .75 Dia. Shaft, 2.5hp

Used on: Braden, Pierce Sales, Ramsey, Tulsa

Replaces: Prestolite 46-103, 46-2099, 46-2285, 46-2287, 46-2401, 46-2426, 46-2636, 46-4157, 46-4214, MBJ-4003, MBJ-4007, MBJ-4008, MBJ-4201, MBJ-4202, MBJ-4209, MBJ-4402, MBJ-4405, MBJ-4407, MBJ-4411, MBJ-4412, MBJ-4415, MBJ-4416, MBJ-6201, MRV-B8, MUR-6202, MUR-6202S; Ref. No. W-9143

Lester No: 5687-DB

Dim: 4.5 in. Dia. Field Case
.75 in. Dia. Shaft w/ Key Slot
3 in. Dia. Mtg. Ring

1.75 in. Shaft to Mtg. Flange
4) 3/8-24 Mounting Holes

3) 5/16-24 Terminal Posts

Note: For bushing version use 5686N. For 4.8HP heavy duty motor use 5687N-DBHD.



5687N-DBHD

Motor - Winch

12 Volt, Bi-directional, .75 Dia. Shaft, 4.8hp

Used on: Braden, Pierce Sales, Ramsey, Tulsa

Replaces: Prestolite 46-103, 46-2099, 46-2285, 46-2287, 46-2401, 46-2426, 46-2636, 46-4157, 46-4214, MBJ-4003, MBJ-4007, MBJ-4008, MBJ-4201, MBJ-4202, MBJ-4209, MBJ-4402, MBJ-4405, MBJ-4407, MBJ-4411, MBJ-4412, MBJ-4415, MBJ-4416, MBJ-6201, MRV-B8, MUR-6202, MUR-6202S; Ref. No. W-9144

Dim: 4.5 in. Dia. Field Case
.75 in. Dia. Shaft w/ Key Slot
3 in. Dia. Mtg. Ring

1.75 in. Shaft to Mtg. Flange
4) 3/8-24 Mounting Holes

3) 5/16-24 Terminal Posts

Note: For 2.5HP motor use 5687N-DB, 5686N



10724N

Motor - Winch

12 Volt, Bi-directional, .669 Dia. Shaft, 2.5hp

Used on: Braden, Warn Industries

Replaces: Prestolite 46-2262, MBJ-4401, MBJ-4401S, MBJ-4404; Ref. Nos. 8274, 8796, M3600, W-8941

Dim: 4.5 in. Dia. Field Case
.669 in. Dia. Shaft w/ full length key slot
3) 5/16-24 Terminal Posts



10746N-DB

Motor - Winch

12 Volt, Bi-directional, 20-Spline Shaft

Used on: Superwinch Husky Series, Warn Industries

Replaces: Prestolite MRV-B4, MRV-B5; Ref. Nos. 226626, 26629, 458058, 7536, 7682, AMJ4635, D2000, M1900, W-8923-DBB

Dim: 4.5 in. Dia. Field Case

3) 5/16-24 Terminal Posts

Note: 10746N-DB w/o overload device (OLP).



10747N

Motor - Winch


12 Volt, Bi-directional, 20-Spline Shaft

Used on: Warn Industries Superwinch X Series

Replaces: Prestolite MRV-B7; Ref. Nos. 25314, 25981, 25982, M1901, W-7923

Dim: 4.5 in. Dia. Field Case

3) 5/16-24 Terminal Posts



10763N

Motor - Winch

12 Volt, Bi-directional, Tang Shaft Motor

Used on: Truck Tarp Cover Motors

Replaces: Ref. No. 1110, 1102, 1307, 1646, B01-006A, W-8023

Dim: 520 Shaft Dia.

.170 W x .205 D Armature Flats

2) 1/4-28 Terminals

Note: Motor mounts on 1/4-20 thru bolts extensions



10732N

Motor - Winch

12 Volt, CCW, 14-Tooth Gear

Used on: Bellview, Warn Industries

Replaces: Prestolite 46-3650, MHT-6101, MHT-6101S, MHT-7001, MHT-7101, MHT-7101S; Ref. No. W-8703

Note: Thru bolts at 5:00 & 11:00 positions.

C.E. shaft has hole for roll pin.

Motor has steel C.E. plate w/ center hole for the shaft. Must be used w/ original C.E. brake assy. if needed.



10771N

Motor - Winch

12 Volt, Bi-directional, .625 Dia. Shaft

Used On: Venco, Venturo-Santa Anita

Replaces: Prestolite 46-4071, MMQ-4004, MMQ-4004S; Ref. No. W-8938-P

Dim: 4.5 in. Dia. Field Case

.625 in. Dia. Shaft w/ Woodruff Key

3 in. Dia. Mtg. Ring

1.75 in. Shaft to Mtg. Flange

2) 5/16-24 Terminal Posts

Features: 100% New Bi-directional, forward & reverse Double ball bearings



5687N-DB1

Motor - Winch

12 Volt, Bi-directional, .75 Dia. Shaft, 2.5hp

Used on: Braden, Pierce Sales, Ramsey, Tulsa

Replaces: Prestolite 46-103, 46-2099, 46-2285, 46-2287, 46-2401, 46-2426, 46-2636, 46-4157, 46-4214, MBJ-4003, MBJ-4007, MBJ-4008, MBJ-4201, MBJ-4202, MBJ-4209, MBJ-4402, MBJ-4405, MBJ-4407, MBJ-4411, MBJ-4412, MBJ-4415, MBJ-4416, MBJ-6201, MRV-B8, MUR-6202, MUR-6202S; Ref. No. W-9133

Dim: 4.5 in. Dia. Field Case
.75 in. Dia. Shaft w/ Key Slot
3 in. Dia. Mtg. Ring

1.75 in. Shaft to Mtg. Flange

4) 3/8-24 Mounting Holes

3) 5/16-24 Terminal Posts

Note: For bushing version use 5686N



10730N

Motor - Winch

24 Volt, Bi-Directional

Used on: Pierce, Ramsey, Vime

Replaces: Prestolite 46-2289, 46-3523, MMD-4001, MMD-4401



10792N

Motor - Marine Winch-Hoist

12 Volt, Bi-directional, .625 Dia. Shaft, Insulated Grd.

Used on: Applied Motors, Electrodyne, Pacific Scientific Anchor Lifts & Lobster Pot Haulers

Replaces: Ref. No. 12641560, A361412641560, M2400, W-8930B

Dim: .625 in. Dia. Shaft w/ Bar Key Slot

3) 5/16-24 Terminal Post

Note: Offset post is the insulated ground terminal. Includes grounding cable.

Snow Plow Motors



5200N

Motor - Snow Plow
12 Volt, CCW

Used on: Meyer Snow Plow
Replaces: Meyer 15054; Prestolite 46-2415, MKW-4007; United Technologies MM48826
Dim: 3 in. Dia. Field Case



10710N

Motor - Snow Plow
12 Volt, CW, Slotted Shaft

Used on: Diamond Snow Plows, Meyer Quick Lift Snow Plows
Replaces: Iskra 11-212-981; Meyer 15689, 15727, 2529AB, 2529AC, 2869AB; Prestolite 46-4196, MUE-6209, MUE-6209S; Ref. No. W-8991
Dim: 4.5 in. Dia. Field Case
1) 5/16-24 Terminal Post



10735N

Motor - Snow Plow
12 Volt, CW, 9-Spline Shaft

Used on: Dell Liftgates, Fenner Stone, Maxon, Snowaway Plows, Walco
Replaces: Fenner Stone 1175AC, 1185AC, 1785AC, 1787AC, 1931AC; Prestolite 46-4048, MUE-6114S; Walco 70392900; Ref. No. W-9787
Dim: 4.5 in. Dia. Field Case
1) 5/16-24 Terminal Post
Note: For heavy duty version use 10736N (3/4 in. longer)



10758N

Motor - Snow Plow
12 Volt, CW, Slotted Shaft, Insulated Grd.

Used on: Meyer Quick Lift Snow Plows
Replaces: Iskra AMJ4739; Meyer 15829, 15841; Ref. No. W-5692
Dim: 4.5 in. Dia. Field Case
2) 5/16-24 Terminal Posts



6067N

Motor - Snow Plow
12 Volt, CW

Used on: Western Snow Plows (Early)
Replaces: Prestolite 46-806, MEZ-7002, Western 25556; Ref. No. W-8940
Dim: 4.5 in. Dia. Field Case
1) 5/16-24 Terminal Post



10725N-SB

Motor - Snow Plow
12 Volt, CW

Used on: Fisher, Western Snow Plows
Replaces: Prestolite 46-2473, 46-2584, 46-3618, 46-3938, MDL-2256, MKW-4009, MUE-6103, MUE-6103S, MUE-6111, MUE-6111S, MUE-6206, MUE-7001; Western 56058, 56062, 56133; Ref. No. W-8994
Dim: 4.5 in. Dia. Field Case
1) 5/16-24 Terminal Post



10752N

Motor - Snow Plow
12 Volt, CCW, Slotted Shaft

Used on: Anthony Equipment, Boss Snow Plows, Haldex-Barnes, Monarch Hydraulics, MTE Hydraulics, Walco, Wapsa
Replaces: Haldex-Barnes 2200478, 2200727, 2200776, 2200820, 2200849; MTE Hydraulics 39200292, 39200388; Prestolite 46-2624, 46-2662, 46-4057, MUE-6106, MUE-6201, MUE-6201S, MUE-7004, MUE-7005, MUE-7005S, MUE-7006; Wapsa 9-130-450-061, 9-130-450-064, 9-130-450-081; Ref. No. W-8999-DBB
Dim: 4.5 in. Dia. Field Case
1) 5/16-24 Terminal Post
Note: Thru bolts at 5:00 & 11:00 positions. Additional 1/4-20 switch mtg. holes in field case for broader coverage. For single ball bearing version use 10751N.



10863N

Motor - Snow Plow
12 Volt, CCW, Slotted Shaft

Used on: Ref. Nos. W-8911, W-8911D
Lester Nos: 10863
Features: Double Ball Bearing

Salt Spreader Motor



10711N

Motor - Salt Spreader
12 Volt, CCW

Used on: Meyers Salt Spreaders
Replaces: Johnson Electric 4854440; United Technologies 4854420M048HM, HM02223; Ref. No. W-8805
Dim: 12.7mm (.5 in.) Shaft Dia.
2) 1/4-20 Terminal Posts

Solenoids

66-213

Solenoid
6 Volt, 3-Terminal



Used On: Ford, Hercules, Lincoln, Mercury, OMC, Studebaker
Replaces: Delco 1494, 1114545, U295, U925, U928, U937; Ford 21A-11450, NCA-11450-A, SW-1, SW-219; OMC 277317; Prestolite 15-2F, 15-130, 15-157, 15-173, 15-222, 15-602, SAW-4602, SAW-4605, SAW-4605M

Dim: 2) 5/16-24 Contact Terms.

1) 10-32 Terminal

Notes: Flat mounting bracket.

Mounting holes: 5/16 x 19/32, 2-13/64 on centers.

Features: Copper contact terminals

Insulated base w/ phenolic housing

Push button contact

67-702

Continuous Duty Solenoid
12 Volt, 4-Terminal



Used On: Golf Carts & Industrial Applications where Solenoid is to be engaged for extended periods of time

Replaces: Cole Hersee 24059; Delco 1114208, 218, 223, 534, 547; Prestolite 15-88, 15-132, 15-133, 15-236, 15-311, 15-316, SAS-4201, SAS-4202, SAS-4213, SAS-5201A; SAS-5203, A

Dim: 2) 5/16-24 Contact Terms.

2) 10-32 Terminal

Notes: Flat mounting bracket.

To replace 3-terminal solenoid, connect wire from one small terminal to mounting bracket

Features: Copper contact terminals

Insulated base w/ steel housing

For premium quality, use 67-702-1-C

67-703

Continuous Duty Solenoid
24 Volt, 4-Terminal



Used On: Golf Carts & Industrial Applications where Solenoid is to be engaged for extended periods of time

Replaces: Cole Hersee 24063; Prestolite 15-141, 15-196, 15-304, 15-310, SAS-4401, SAS-4408, SAS-5401A; United Technologies SO-51181

Dim: 2) 5/16-24 Contact Terms.

2) 10-32 Terminal

Notes: Flat mounting bracket.

Mounting holes: 5/16 x 19/32, 2-13/64 on centers.

Features: Copper contact terminals

Insulated base w/ steel housing

67-704

Continuous Duty Solenoid
36 Volt, 4-Terminal



Used On: Golf Carts & Industrial Applications where Solenoid is to be engaged for extended periods of time

Replaces: Cole Hersee 24080, E-Z-Go 11761GA; Prestolite 15-242, 15-243, 15-334, SAS-4301, SAS-4302, SAS-4303, SAS-5303A; United Technologies 50-51184

Dimensions: 2) 5/16-24 Contact Terms.

2) 10-32 Terminal

Notes: Flat mounting bracket.

Mounting holes: 9/32 x 11/16, 2-7/64 on centers.

Features: Copper contact terminals

Insulated base w/ steel housing

67-737-1

Solenoid
6 Volt, 3-Terminal



Used On: Allis Chalmers, AMC, Baker, Case, Caterpillar, Checker Motors, Chris Craft, Chrysler, Clark, Dodge, Eaton, Gray Marine, Hyster, International, Jeep, John Deere, Kohler, Massey Ferguson, Mercury Marine, Minneapolis Moline, Tow Motor, Waukesha, White, Wisconsin, Yale Forklift

Replaces: AMC 120568, Case A25802; Caterpillar 10093, 30037; Chrysler 633166, 648336, 658336, 927081, 1692754, CH-2302; Cole Hersee 24039; Delco 1453, 1459, 1463, 1475, 1508, 1528, 1541, 1549, 1564; Prestolite 15-28, 15-31, 15-125, 15-129, 15-160, 15-168, 15-170, 15-225, SAW-4601, SAW-4601M, SAW-4601T, SS-4001, SS-4002, SS-4009S, SS-4017, SS-4018, SS-4020, SST-4002, SST-4003, SST-4004, SST-4010; United Technologies SO-51171, 8825-1, 8860-1

Dim: 2) 5/16-24 Contact Terms.

1) 10-32 Terminal

Notes: Curved mounting bracket.

Mounting holes: 5/16 x 19/32, 2-1/8 on centers.

Features: Premium Quality

Copper contact terminals

Grounded base w/ steel housing

67-738

Continuous Duty Solenoid
12 Volt, 3-Terminal



Used On: Golf Carts & Industrial Applications where Solenoid is to be engaged for extended periods of time

Replaces: Cole Hersee 24106; Prestolite 15-139, 15-296, 15-342, 15-345, SAS-4208, SBC-4201, SBC-4201D, SBC-4201E

Dim: 2) 5/16-24 Contact Terms.

1) 10-32 Terminal

Notes: Flat mounting bracket.

Mounting holes: 5/16 x 19/32, 2-13/64 on centers.

Features: Copper contact terminals

Grounded base w/ steel housing

Coil winding 16-21 ohms

For premium quality, use 67-738-1

67-739-1

Continuous Duty Solenoid
12 Volt, 6-Terminal (S.P.D.T)



Used On: Carrier Refrigeration Equipment and Industrial Applications where Solenoid is to be engaged for extended periods of time. For forward & reverse drive systems in Golf Cart, Garden Tractors, Fork Lifts & Winch applications

Replaces: Carrier 10-01088, Cole Hersee 24401, Prestolite 15-323, SBD-4201A

Dim: 2) 5/16-24 Contact Terms.

4) 10-32 Terminal

Notes: Flat mounting bracket.

Mounting holes: 5/16 x 19/32, 2-13/64 on centers.

Features: Copper contact terminals

Insulated base w/ steel housing

67-740

Continuous Duty Solenoid
12 Volt, 5-Terminal (S.P.D.T)



Used On: Industrial Applications where Solenoid is to be engaged for extended periods of time. For forward & reverse drive systems in Golf Cart, Garden Tractors, Fork Lifts & Winch applications

Replaces: Cole Hersee 24401-01, John Deere 35906; Prestolite 15-301, 15-338, 15-341, SBD-4201, SBD-4201D, SBD-4201E, SBD-4202D,

Dim: 4) 5/16-24 Contact Terms.

1) 10-32 Terminal

Notes: Flat mounting bracket.

Mounting holes: 5/16 x 19/32, 2-13/64 on centers.

Features: Copper contact terminals

Grounded base w/ steel housing

For premium quality, use 67-740-1

67-741

12 Volt, 3-Terminal
Used On: Western Snow Plow



Replaces: Cole Hersee 24077; Ford 59B-11450; United Technologies SO-51179, Western 25634

Dim: 2) 5/16-24 Contact Terms.

1) 10-32 Terminal

Notes: Curved mounting bracket.

Mounting holes: 5/16 x 19/32, 2-13/16 on centers.

Features: Premium Quality

Copper contact terminals

Insulated base w/ plastic coated steel housing

Encased plastic covering protects against weather & dirt

67-742-1

Continuous Duty Solenoid
24 Volt, 6-Terminal (S.P.D.T)



Used On: Advance Machine Floor Sweeper, Clark, Taylor Dunn Electric Vehicle, Trilectron and other Industrial Applications where Solenoid is to be engaged for extended periods of time. For forward & reverse drive systems in Golf Cart, Garden Tractors, Fork Lifts & Winch applications

Replaces: Clark 13521, Cole Hersee 24402; Prestolite 15-326, SBD-4401; United Technologies SO-51191

Dimensions: 2) 5/16-24 Contact Terms.

4) 10-32 Terminal

Notes: Flat mounting bracket.

Mounting holes: 5/16 x 19/32, 2-13/64 on centers.

Features: Premium Quality

Copper contact terminals

Insulated base w/ steel housing

ARROWHEAD	
LFS0001	10735N
LFS0002	10736N
LFS0008	10739N
LMN0001	6119N
LMN0003	6126DBBN
LMN0004	10750N
LMN0005	10752N
LMN0009	10760N
LMN0010	10760N
LMY0001	10710N
LMY0002	10711N
LMY0003	10758N
LPL0002	10716N
LPL0003	6044N
LPL0005	6067N
LPL0007	6126DBBN
LPL0008	5196N
LPL0010	6129N
LPL0012	10721N
LPL0013	6046N
LPL0015	10724N
LPL0017	6037N
LPL0019	6037N
LPL0021	10752N
LPL0023	6126DBBN
LPL0025	10730N
LPL0028	5196N
LPL0032	10752N
LPL0035	6044N
LPL0045	10725N-SB
LPL0046	10772N
LPL0047	10792N
LPL0049	10787N
LPL0055	10798N
LPL0056	10794N
LPL0057	10782N
LPL0058	10755N
LRW0001	5687N-DB
LRW0002	10746N-DB
LRW0003	5687N-DB
LRW0004	10747N

LRW0005	10746N-DB
LRW0009	10754N
LRW0011	5687N-DB
LRW0012	5687N-DB
LRW0013	10746HDN
LRW0014	10783N
SAB0001	5200N
SAB0086	6076N
SAB0121	10761N
SAB0162	5200N
SPL6002	66-213
BOSCH	
0-136-350-011	10760N
0-136-350-013	10760N
BUYER	
202000	10711N
CLARK	
992312	6126DBBN
DELAMERICA	
20415	6126DBBN
25163	10736N
25169	10735N
FENNER-STONE	
1175-AC	10735N
1185-AC	10735N
1785-AC	10735N
1787-AC	10735N
1788-AC	10739N
1789-AC	10736N
1931-AC	10735N
1997-AC	10736N
2529-AB	10710N
2529-AC	10710N
2578-AC	10739N
2869-AB	10710N
HALE	
200-0040-00	5196N
ISKRA	
11-212-385	10739N
11-212-981	10710N
AMJ5667	10760N
IS 9045	10750N

JS BARNES	
2200028	6037N
2200030	6037N
2200176	6037N
2200478	10752N
2200478	10752N
2200480	6126DBBN
2200525	6037N
2200654	10752N
2200727	10752N
2200727	10752N
2200776	10752N
2200776	10752N
2200820	10752N
2200820	10752N
2200849	10752N
2200849	10752N
LEYMAN	
LH150018	6126DBBN
P46340	10736N
MAXON	
53500	6044N
222423	10735N
223740	6126DBBN
224912	6044N
226578	10736N
226579	10736N
MEYER	
15054	5200N
15687	10710N
15727	10710N
15829	10758N
15841	10758N
15869	10758N
36218	10711N
MONARCH	
8111	6126DBBN
8111-D	6126DBBN
8112	6126DBBN
8119	10750N
8120	6129N
2200525	6037N
2200870	6037N

Cross Reference

MTE HYDRAULICS	
39200292	10752N
39200292	10752N
39200295	10750N
39200380	10752N
39200388	10752N
39200388	10752N
39200397	10721N
39200482	10721N
NAT'L LIFTGATE AEP	
AMT0077	6044N
AMT0090	10735N
AMT0097	10735N
AMT0100	10736N
AMT0103	10739N
AMT0105	10736N
AMT0300	5200N
AMT0354	10758N
AMT0370	5200N
AMT0401	5687N-DB
AMT0404	10724N
AMT0406	10746N-DB
AMT0470	10746N-DB
AMT0570	6067N
AMT0605	10725N-SB
BMT0021	6126DBBN
BMT0022	6126DBBN
BMT0027	6126DBBN
PRESTOLITE AEP	
46-72	6044N
46-103	5687N-DB
46-175	6037N
46-235	5196N
46-235	5196N
46-262	6119N
46-339	5687N-DB
46-349	6119N
46-555	5196N
46-557	5196N
46-584	6037N
46-717	6119N
46-783	6037N
46-806	6067N

46-812	6046N
46-880	6076N
46-917	6044N
46-948	6126DBBN
46-949	6126DBBN
46-958	6044N
46-974	6044N
46-990	6044N
46-2014	6044N
46-2037	6044N
46-2062	5687N-DB
46-2073	6129N
46-2097	5687N-DB
46-2099	5687N-DB
46-2107	6119N
46-2112	6037N
46-2126	6037N
46-2155	5196N
46-2155	5196N
46-2194	6037N
46-2220	6126DBBN
46-2244	5196N
46-2244	5196N
46-2262	10724N
46-2282	5687N-DB
46-2283	5687N-DB
46-2285	5687N-DB
46-2286	10754N
46-2287	5687N-DB
46-2289	10730N
46-2364	6126DBBN
46-2369	6119N
46-2391	5687N-DB
46-2401	5687N-DB
46-2414	6119N
46-2415	5200N
46-2421	10755N
46-2426	5687N-DB
46-2432	6046N
46-2478	6044N
46-2482	6076N
46-2516	10716N
46-2550	6044N

46-2559	6037N
46-2579	6044N
46-2580	6044N
46-2584	10725N-SB
46-2585	6119N
46-2595	6119N
46-2604	5196N
46-2604	5196N
46-2617	6126DBBN
46-2624	10752N
46-2624	10752N
46-2636	5687N-DB
46-2637	10750N
46-2662	10752N
46-2777	6126DBBN
46-2811	10750N
46-3523	10730N
46-3564	6046N
46-3618	10725N-SB
46-3621	10752N
46-3633	6037N
46-3663	10787N
46-4048	10735N
46-4050	6044N
46-4214	5687N-DB
MAY4146	5196N
MAY4301	5196N
MAY4301S	5196N
MBJ4201	5687N-DB
MBJ4202	5687N-DB
MBJ4204	5687N-DB
MBJ4207	5687N-DB
MBJ4208	10754N
MBJ4209	5687N-DB
MBJ4401	10724N
MBJ4401S	10724N
MBJ4402	5687N-DB
MBJ4403	5687N-DB
MBJ4405	5687N-DB
MBJ4406	10754N
MBJ4407	5687N-DB
MBJ4410	5687N-DB
MBJ4411	5687N-DB

MBJ4412	5687N-DB
MBJ4415	5687N-DB
MCL6225	5196N
MCL6225	5196N
MCL6225A	5196N
MCL6225A	5196N
MCL6228	5196N
MCL6228	5196N
MCL6508	5196N
MCL6508	5196N
MCL6508T	5196N
MCL6508T	5196N
MCL6509	10787N
MCL6509S	10787N
MDY6101	6119N
MDY6102	6119N
MDY6103	6037N
MDY6109	6037N
MDY6116	6044N
MDY6116S	6044N
MDY6119	6119N
MDY6120	6037N
MDY6120S	6037N
MDY6121	6037N
MDY6121S	6037N
MDY6125S	6046N
MDY6157	6044N
MDY6157S	6044N
MDY6203	6037N
MDY6203S	6037N
MDY6205	6037N
MDY7022	6044N
MDY7027	6119N
MDY7030	6046N
MDY7031	6044N
MDY7032	6044N
MDY7037	6044N
MDY7037S	6044N
MDY7039	6044N
MDY7039S	6044N
MDY7042	6044N
MDY7042A	6044N
MDY7050	6119N

MDY7057	6119N
MDY7057A	6119N
MDY7058	6046N
MDY7059	6119N
MDY7061	6044N
MDY7063	6044N
MDY7065	6037N
MDY7066	6044N
MDY7066S	6044N
MDY7068	6119N
MDY7072	6044N
MEZ7002	6067N
MGL4007	6076N
MHA6001	6037N
MHJ7007	10782N
MHN4001	6126DBBN
MHN4001A	6126DBBN
MHN4002	6126DBBN
MHN4002A	6126DBBN
MHN4002S	6126DBBN
MHN4003	6126DBBN
MHN4005	6126DBBN
MHN4006	6126DBBN
MHP4005	6129N
MHP4005S	6129N
MHP4009	6129N
MHP4009S	6129N
MKW4007	5200N
MMD4001	10730N
MMD4401	10730N
MMD4402	5687N-DB
MMS4001	10755N
MMS4001S	10755N
MMY4001	10716N
MMY4001A	10716N
MRJ2506	10783N
MRVB4	10746N-DB
MRVB4	10746N-DB
MRVB5	10746N-DB
MRVB5	10746N-DB
MRVB7	10747N
MUE6001	6126DBBN
MUE6001S	6126DBBN

MUE6102S	6037N
MUE6103	10725N-SB
MUE6103S	10725N-SB
MUE6105	6126DBBN
MUE6106	10752N
MUE6106S	10752N
MUE6107	6126DBBN
MUE6108S	10752N
MUE6111	10725N-SB
MUE6111S	10725N-SB
MUE6114S	10735N
MUE6121	6037N
MUE6201	10752N
MUE6206	10725N-SB
MUE6209	10710N
MUE7003	6126DBBN
MUE7003S	6126DBBN
MUE7004	10752N
MUE7005	10752N
MUE7006	10752N
MUF6102	10750N
MUF7001	10750N
MUF7002	10750N
MUF7002S	10750N
MUR6202	5687N-DB
MUV6203S	10721N
MUV6301	10721N
RAMSEY WINCH	
458001	5687N-DB
458002	10730N
458005	10730N
RAYMOND	
570-429	6129N
570-429-100	6129N
REFERENCE #'s	
7536	10746N-DB
7536	10746HDN
7682	10746N-DB
8079	6126DBBN
15747	10746N-DB
15747	10746N-DB
15877	10746N-DB

Cross Reference

15877	10746HDN
16115	10772N
17102	10746N-DB
17102	10746N-DB
18184	10746N-DB
25314	10747N
25981	10747N
25982	10747N
26629	10746N-DB
26629	10746HDN
65061	10761N
11032A	6076N
16115-1	10772N
16-510	10754N
16-700	10754N
33-11069	6126DBBN
8117M	6126DBBN
REFERENCE #'s AEP	
16579	10752N
16579	10752N
64953	10761N
65416	10761N
198684	6076N
226626	10746N-DB
226626	10746HDN
458058	10746N-DB
458058	10746HDN
1220182	10761N
1409019	10761N
3922003	10752N
3922003	10752N
6961678	10761N
11212108	10760N
11212108	10760N
11212449	10746N-DB
11212449	10746HDN
12641560	10792N
15134950	10798N
92200480	6126DBBN
136350011	10760N
136350013	10760N
570410100	6037N

2000041000	10787N
3012200182	10761N
3012201820	10761N
69616787209	10761N
022-064953-7-022	10761N
032000-5198	6126DBBN
054-94-1242-0434	10761N
05494124204345061	10761N
107974490221	10761N
10S00038	6129N
1220182H	10761N
301220182H	10761N
3D1220182	10761N
3D12201828	10761N
3D-1220182H	10761N
801220182H	10761N
AMJ4635	10746N-DB
AMJ4635	10746HDN
AMJ5667	10760N
D-2000	10746N-DB
D-2000	10746HDN
DR-1467	66-213
E-5622-1	6046N
F9524	10761N
F9524A	10761N
M1900	10746N-DB
M-1900	10746HDN
M-1901	10747N
M-2000	5196N
M-2000	5196N
M-2400	10792N
M-2600	6046N
M-3300-24V	10730N
M-3600	10724N
PS534-24V	10730N
T200-2	5687N-DB
V-1157	5196N
V-1157	5196N
V-2068	5196N
V-2068	5196N
VHA-445D	5196N
VHA-445D	5196N

THIEMAN	
4423520	6126DBBN
TOMMY LIFT	
42 FENNER	10735N
42 MONARCH	6126DBBN
42-4320	6126DBBN
43-86	6044N
UNITED TECHNOLOGIES	
4854420	10711N
4854440	10711N
HM02223	10711N
M0551046A	5200N
MM48826	5200N
SM48826	5200N
VENCO	
13850	10735N
13850	10736N
M1-0199-00	6044N
WALTCO	
70091739	6126DBBN
70092312	6126DBBN
70092359	6126DBBN
70391000	6044N
70391100	10736N
70392000	6044N
70392800	10736N
70392900	10735N
WAPSA	
9130450047	10746N-DB
9130450061	10752N
9130450061	10752N
9130450064	10752N
9130450064	10752N
9130450081	10752N
9130450081	10752N
9130450099	10725N-SB
WARN WINCH	
7536	10724N
26651	10783N
39972	10783N
39983	10783N
9130450047	10746HDN

WESTERN MOTOR	
W-1711	10798N
W-1712	10794N
W-5623	10746N-DB
W-5692	10758N
W-6001	6037N
W-6294	10725N-SB
W-6542	10787N
W-6598	5196N
W-6599	5196N
W-6738	10772N
W-7621	10783N
W-7623	10746HDN
W-7923	10747N
W-8012	6076N
W-8032B	5200N
W-8032B	5200N
W-8799	10752N
W-8805	10711N
WESTERN MOTOR AEP	
W-8815	10761N
W-8824-P	10755N
W-8901-P	10721N
W-8912	6076N
W-8920	6126DBBN
W-8921	10782N
W-8923	10746N-DB
W-8927	10754N
W-8930B	10792N
W-8933	5687N-DB
W-8935	6037N
W-8940	6067N
W-8941	10724N
W-8950	10750N
W-8956	10730N
W-8958	6046N
W-8990	6044N
W-8990-DBB	6044N
W-8991	10710N
W-8992	6119N
W-8993	6126DBBN
W-8993-DBB	6126DBBN
W-8999	10752N

W-8999-DBB	10752N
W-9000	6126DBBN
W-9007	10760N
W-9009	10760N
W-9133	5687N-DB
W-9143	5687N-DB
W-9144	5687N-DB
W-9405	6129N
W-9787	10735N
W-9787-P	10735N
W-9789	10736N
W-9795	10739N
W-9993	6126DBBN
WESTERN PLOW	
25556	6067N
25556A	6067N
M3100	6126DBBN
M3300	5687N-DB

[illegible]

[illegible]



DC MOTORS

Member of:

AAIA[®]
Automotive Aftermarket
Industry Association



USA

WAIglobal USA

411 Eagleview Blvd., Suite 100,
Exton, PA 19341
Tel: 484.875.6600
Toll Free: 800.877.3340
Fax: 800.948.6121

CANADA

Montréal

4711 Boul. Couture
Montréal (St-Léonard),
Québec, H1R 3H7
Tel: 514.324.7922
Toll Free: 800.661.2962
Fax: 514.328.1535

EUROPE

WAI Europe b.v.

Klappolder 225
2665 MR Bleiswijk
The Netherlands
Tel: 31(0)10.524.1980
Fax: 31(0)10.524.1981

BRASIL

WAIglobal Brazil Ltda

Av. Coronel Marcos Konder,
1207-Sala 70
88.301-303, Itajaí-SC
Fone/Fax: (47)3046.1600

Toronto

34 Alex Avenue
Vaughan, Ontario
L4L 5X1
Tel: 416.740.9200
Toll Free: 800.387.2807
Fax: 416.740.5348

CHINA

Transpo Electronics, Shanghai, LTD

Building No. 32 215 De Bao Rd
Wai Gao Qiao Free Trade Zone
Pudong, Shanghai 200131
Peoples Republic of China
Tel: 86.21.5048.2700
Fax: 86.21.5048.2722

www.waiglobal.com